

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,786	11/04/2003	Michael Ellsworth Weedmark	ALC 3095	5910
	7590 05/30/2007	EXAMINER		
KRAMER & AMADO, P.C. Suite 125 1725 Duke Street Alexandria, VA 22314			CHERY, DADY	
			ART UNIT	PAPER NUMBER
Alexandra, VA 22314			2616	
			MAIL DATE	DELIVERY MODE
			05/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	Application No.	' ' ' '				
Office Action Summan	10/699,786	WEEDMARK ET AL.				
Office Action Summary	Examiner	Art Unit				
	Dady Chery	2616				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>04 November 2003</u> .						
2a) ☐ This action is <b>FINAL</b> . 2b) ☒ This	This action is FINAL. 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowar	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ☐ Claim(s) 1-26 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1-26 is/are rejected.  7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the Eddrawing(s) be held in abeyance. See dion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)  1) ☑ Notice of References Cited (PTO-892)  2) ☑ Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) ☑ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 11/04/2003.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

Page 2

Application/Control Number: 10/699,786

Art Unit: 2616

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2616

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 1- 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Soncodi (US Patent 6,11,88,1, hereinafter Soncodi) in the view of So et al. (WO 98/49862).

Regarding claim 1, Soncodi discloses a method of implementing an Active Connection Modify (ACM) for a connection in a communication system (Fig. 3, and Fig. 4), the connection initially lying along an original connection (Fig. 4, C20, C30, C50) between a source node (C10) and a destination node (C60), the original connection conforming with at least one original traffic parameter, the method comprising the steps. establishing an alternate connection between the source node and the destination node (Fig. 4, C20, C30, C50).;

determining whether the connection along the original connection must be tom down (Col. 5, lines 22 –29); Soncodi discloses a method to release an original for route optimization ,QOS/bandwidth etc. This is the same function as determine if the original connection must be torn down.

if the connection along the original connection must be torn down, switching the connection to the alternate connection before tearing down the connection along the original connection.

Soncodi discloses a non-preemptive method to modify an active connection between a source and a destination and rerouting the traffic to an alternate path before

Art Unit: 2616

release the original connection in response to some parameters (optimization, QOS/bandwidth, etc.). This is the same function as described by the instant application (Col. 5, lines 24 29). But, Soncodi does not clear disclose attempting to implement the ACM along the original connection.

However, Son clearly teaches a method of managing the resource requirement of an active connection (Page 3, lines 3 - 10).

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to manage the resource requirement of an active connection to determine whether or not a requested bandwidth change will be granted (Page 3, lines 20 –26).

Regarding claims 2 and 15, Soncodi discloses all the limitation of claim 2, except the step of initiating a timer, and wherein the step of determining whether the connection along the original connection must be torn down comprises determining whether the timer expires before receipt of an ACM-related message at the source node from another node along the original connection.

However, So teaches a method of initiating a timer by the network/user and determine if the timer is expired before receipt the modify request at the source along the original connection (Page 11, lines 28 – Page 12, lines 13).

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of So into the teaching of Soncodi for the purpose of managing resource requirement in a ATM network (abstract).

Art Unit: 2616

Regarding claims 3,4,16 and 17Soncodi discloses the step of establishing an alternate connection establishes an alternate connection so as to conform with the at least one original traffic parameter (Col. 5, lines 24 – 29). The alternate connection is conformed to at least one parameter like QOS/bandwidth adjustment.

Regarding claims 5,7, 18, and 20, Soncodi discloses a method to create a new connect a release message is generating at the border nodes (B20, B30) (Col. 5, lines 45.52). Which is considered as switching the connection to the alternate connection and tearing down the original connection.

Soncodi fails to teach the steps of monitoring for receipt of a MODIFY REJECT message at the source node; and if a MODIFY REJECT message is received at the source node.

However, Son teaches a method where the network owner (source node) monitoring the "bandwidth change indication" and if the network cannot the adopt the expected bandwidth the network owner (source node) release the connection or to reroute the connection (Page 13, lines 16 –19). Which is the same function as described by the instant application.

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of So into the teaching of Soncodi for the purpose of managing resource requirement in a ATM network (abstract).

Regarding claims 6 and 19 Soncodi discloses a preemptive method where the alternate connection is to be maintained evenly in conformance with at least one original

traffic parameter (Col. 4, lines 65 – Col. 5, lines 20). Soncodi also discloses a non-preemptive method that has the same function as a protected and enabling ACM where an alternate route is create with new parameters like QOS/bandwidth adjustment etc. Soncodi Further discloses the step of determine whether the connection is preemptive or not (Col.5, lines 21-52).

Soncodi also discloses a preemptive method and a non-preemptive method to create a new connect a release message is generating at the border nodes (B20, B30) (Col. 4, lines 65 – Col. 5, lines 43 -54). Which is considered as a protected and enabling modify connection and switching the connection to the alternate connection and tearing down the original connection.

Soncodi fails to teach the steps of monitoring for receipt of a MODIFY REJECT message at the source node; and if a MODIFY REJECT message is received at the source node.

However, Son teaches a method where the network owner (source node) monitoring the "bandwidth change indication" and if the network cannot the adopt the expected bandwidth the network owner (source node) release the connection or to reroute the connection (Page 13, lines 16 –19). Which is the same function as described by the instant application.

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of So into the teaching of Soncodi for the purpose of managing resource requirement in a ATM network (abstract).

Art Unit: 2616

Regarding claims 8 and 21, the method discloses by Soncodi is implement in an Asynchronous Transfer Mode communication system (Col. 1, lines 5 – 10).

Regarding claim 9, Soncodi discloses a PNNI for ATM, which has the same function as RSVP in MPLS network. But, Soncodi fails to teach MPLS communication system.

However, MPLS network is a well-known system in the art. Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a MPLS network to emulate some properties of a circuit-switched network over a packet-switched network.

Regarding claims 10, 11, 25 and 26, Soncodi in combination with Son disclose connection owner, which has the same function as an Active Connection Modify controller within a source for executing method of claims 1, 6,14 and 19 as described the instant application (Page 2, lines 29 –35).

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of So into the teaching of Soncodi for the purpose of managing resource requirement in a ATM network (abstract).

Regarding claim 12 and 13, Soncodi in combination with Son disclose a computer-readable medium comprising instructions for executing the method claims 1

Art Unit: 2616

and 6. Because for executing the method of claims 1 and 6 the system must have a program installed on a memory.

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of So into the teaching of Soncodi for the purpose of managing resource requirement in a ATM network (abstract).

Regarding claim 14, Soncodi discloses a method of implementing an Active Connection Modify (ACM) for a connection in a communication system (Fig. 3, and Fig. 4), the connection initially lying along an original connection (Fig. 4, C20, C30, C50) between a source node (C10) and a destination node (C60), the original connection conforming with at least one original traffic parameter, the method comprising the steps. establishing an alternate connection between the source node and the destination node (Fig. 4, C20, C30, C50).;

Soncodi also discloses a preemptive method and a non-preemptive method to create a new connect a release message is generating at the border nodes (B20, B30) (Col. 4, lines 65 – Col. 5, lines 43 -54). Where the request has been receive from the user (B20). Which is considered as determining whether the ACM request includes a request that the connection be protected; and if a protected modify connection and switching the connection to the alternate connection and tearing down the original connection. This is the same function as described by the instant application.

Soncodi discloses a non-preemptive method to modify an active connection between a source and a destination and rerouting the traffic to an alternate path before

Art Unit: 2616

release the original connection in response to some parameters (optimization, QOS/bandwidth, etc.). This is the same function as described by the instant application (Col. 5, lines 24- 29). But, Soncodi does not clear disclose attempting to implement the ACM along the original connection.

However, Son clearly teaches a method of managing the resource requirement of an active connection (Page 3, lines 3 – 10).

Therefore, It would have been obvious to one of ordinary skill in the art at the time the invention was made to manage the resource requirement of an active connection to determine whether or not a requested bandwidth change will be granted (Page 3, lines 20 –26).

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dady Chery whose telephone number is 571-270-1207.

The examiner can normally be reached on Monday - Thursday 8 am - 4 pm ESt.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Q. Ngo can be reached on 571-272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Page 10

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CHERS lody 05/24/07
Dady Chery